

SPECIFICATION

Customer :	Item : A 2 AR 10x100	Date : 3,NOV.06
-------------------	-----------------------------	------------------------

Mechanical Assembly	Ref. No :	
	Dimension	
	A	9.00 ±0.30mm
	B	10.00 ±0.30mm
	C	100.00 ±2.00mm
	D1	11.00 MAX
	D2	
	F	
	G	
	H	

Electrical Requirement

Q	MIN 200	Test Frequency	1 MHz
L(μh)	295 ± 10 %	Test Frequency	1 MHz

Test equipment : MQ-161 ,Q- METER

	Wire : 2UEW Φ0.07x5
	Winding : 60 Turns
	Material : A 2 Nickel/Zinc

REMARK :

Approved by	Checked by	Reported by	Approved by Customer
	Nancy	J. Cheng ^{14/3/06}	

CORE CONNECTOR CO., LTD.

INSPECTION DATA

Customer				Date	3-Nov-08			
Item		AZAR10X100		Ref. No.				
Part No.				Test Frequency	1 MHz			
Test equipment		MQ-161, Q- METER		Coll Spec.	Φ0.07x5 at 60 turns			
	Q	L(μh)		DIMENSION (UNIT :mm)				
FREQ.	1 MHz	1 MHz		A	B	C		
				TH	W	L		
SPEC.	MIN	± 10 %		±0.30	±0.30	±2.00		
	200	295		9.00	10.00	100.00		
1	270	295		8.89	10.13	100.66		
2	250	298		8.83	10.15	100.65		
3	250	300		8.80	10.21	99.70		
4	250	294		8.74	10.08	100.57		
5	250	296		8.82	10.01	100.65		
6								
7								
8								
9								
10								
X								
R								

CORE CONNECTOR CO., LTD.